



Chapter 25

Domain Name System

25.1

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

25-1 NAME SPACE

To be unambiguous, the names assigned to machines must be carefully selected from a name space with complete control over the binding between the names and IP addresses.


Topics discussed in this section:

Flat Name Space

Hierarchical Name Space

25.3

Figure 25.1 Example of using the DNS service



25.2

25-2 DOMAIN NAME SPACE

To have a hierarchical name space, a domain name space was designed. In this design the names are defined in an inverted-tree structure with the root at the top. The tree can have only 128 levels: level 0 (root) to level 127.

Topics discussed in this section:


Label

Domain Name

Domain


25.4

Figure 25.2 Domain name space



25.5

Figure 25.3 Domain names and labels




25.6

Figure 25.4 FQDN and PQDN



25.7

Figure 25.5 Domains



25.8

25-3 DISTRIBUTION OF NAME SPACE

The information contained in the domain name space must be stored. However, it is very inefficient and also unreliable to have just one computer store such a huge amount of information. In this section, we discuss the distribution of the domain name space.

Topics discussed in this section:

Hierarchy of Name Servers


Zone

Root Server

Primary and Secondary Servers


25.9

Figure 25.6 Hierarchy of name servers



25.10

Figure 25.7 Zones and domains



25.11

Note

A primary server loads all information from the disk file; the secondary server loads all information from the primary server.

When the secondary downloads information from the primary, it is called zone transfer.

25.12

25-4 DNS IN THE INTERNET


DNS is a protocol that can be used in different platforms. In the Internet, the domain name space (tree) is divided into three different sections: generic domains, country domains, and the inverse domain.

Topics discussed in this section:

Generic Domains
Country Domains
Inverse Domain


25.13

Figure 25.8 *DNS IN THE INTERNET*



25.14

Figure 25.9 *Generic domains*




25.15

Table 25.1 *Generic domain labels*

Label	Description
aero	Airlines and aerospace companies
biz	Businesses or firms (similar to "com")
com	Commercial organizations
coop	Cooperative business organizations
edu	Educational institutions
gov	Government institutions
info	Information service providers
int	International organizations
mil	Military groups
museum	Museums and other nonprofit organizations
name	Personal names (individuals)
net	Network support centers
org	Nonprofit organizations
pro	Professional individual organizations


25.16

Figure 25.10 Country domains



25.17

Figure 25.11 Inverse domain



25.18

25-5 RESOLUTION


Mapping a name to an address or an address to a name is called name-address resolution.

Topics discussed in this section:

- Resolver
- Mapping Names to Addresses
- Mapping Addresses to Names
- Recursive Resolution
- Caching

25.19

Figure 25.12 Recursive resolution



25.20

Figure 25.13 *Iterative resolution*

